

INDEX

- AC circuits
- capacitive reactance, 278
 - circuit frequency, 267
 - from wall socket, 269
 - fundamentals of, 267
 - impedance in general, 283
 - peak to peak voltage, 268
 - phase shift in RC circuit, 280-281
 - phase shift in RL circuit, 276
 - phase shift in RLC circuit, 283
 - phasor diagram and RLC circuit, 281-283
 - RC circuit, 277-281
 - resistive nature of an RC circuit, 277-280
 - resistive nature of RL circuit, 275-276
 - resistor alone in circuit, 272
 - resonance frequency of RLC circuit, 284-285
 - RL circuit, 273-276
 - RLC circuit, 281-285
 - RMS voltage and current, 269-272
 - summary, 286
 - voltage and current amplitude 268
- AC power
- production of, 265-267
 - transporting, 266
- ammeter, 113, 116, 118, 219-220
- Ampere's Law
- in general, 196-197
 - magnetic field down axis of coil (solenoid), 201-204
 - magnetic field of a current-carrying wire, 197-199
- Ampere, Andre, 196
- bar magnet, 189
- Biot Savart, the Law of
- in general, 204-210
- black hole, 345-346
- bonding
- covalent, 34
 - ionic, 34
 - metallic, 35
- capacitance
- derivation of
 - for coaxial cable, 179-181
 - for parallel plate capacitor (with dielectric), 174
 - for parallel plate capacitor, 169-172
 - for partial dielectric-filled parallel plate capacitor, 177-179
- capacitive reactance, 278
- capacitor
- capacitive reactance in AC circuit, 278
 - definition of capacitance, 162
 - dielectric constant, 176
 - dielectrics, 172-177
 - discharge characteristics in a DC circuit, 160
 - energy stored in, 181-182
 - equivalent capacitance of parallel combination, 164
 - equivalent capacitance of series combination, 163-164
 - in a DC circuit, 159-160
 - in flash-camera circuit, 162
 - symbol for, 159
 - the mathematics of charging and discharging, 165-169
 - time constant in a DC circuit, 168-169
 - units of capacitance, 162
- charge
- negative, 33
 - positive, 34
- charge density fct.
- linear c.d.f. in cylindrical symmetry, 58
 - linear c.d.f. on a rod, 29
 - linear c.d.f. on coaxial cable, 95
 - surface c.d.f. in cylindrical symmetry, 95
 - surface c.d.f. in spherical symmetry, 53
 - surface c.d.f. on a flat plate, 24, 86
 - surface c.d.f. on an insulating sheet, 64, 67

- charge density (con't)
 - volume c.d.f. in cylindrical symmetry, 61
 - volume c.d.f. in spherical symmetry, 51
- coulomb of charge (the unit), 1
- Coulomb's Law, 1-9

- DC circuits
 - ammeter, 113, 116, 118
 - branches, 117
 - current
 - defined direction of flow, 112
 - in general, 112-113
 - units, 112
 - electric field within, 113
 - energy dissipated in, 114
 - equivalent resistance
 - for parallel combinations, 121-123
 - for series and parallel combined, 123-126
 - for series combinations, 119-120
 - Kirchoff's Laws, 131-140
 - loops, 116
 - matrix approach for solving Kirchoff's Laws, 140-146
 - meters in a circuit, 117-118
 - nodes, 117
 - Ohm's Law, 116
 - power in, 129-131
 - power supply, 111-112
 - resistance
 - in general, 113-116
 - units, 115
 - voltmeter, 116, 118
- del operator
 - in unit vector notation, 99
 - spherical coordinates, 98
 - used on electric potential fct's., 97
- dielectric constant, 176
- dielectrics
 - physical characteristics of, 173
- differential area
 - of a differentially thick hoop, 24
 - surface area of a differential cylindrical shell, 58
 - surface area vector, 44
- differential volume
 - of a differentially thick cylindrical shell, 60
 - differential volume (con't)
 - of a differentially thick spherical shell, 51
- diodes
 - diode bridge, 297-299
 - physical make-up of, 296
 - the production of DC from AC, 295-297
- dipole moment
 - electric, 31-33
 - magnetic, 218
- domains (magnetic), 194
- doping, 293

- eddy current, 254-255
- Einstein's assumptions, 319-322
- electric field
 - definition of, 9-11
 - del operator used to derive
 - in Cartesian coordinates, 99
 - in general, 97
 - in spherical coordinates, 98
 - derived using electrical potential
 - in theory, 97
 - point charge config's., 97-104
 - due to extended charge configuration
 - a disk, 23-26
 - a hoop, 21-23
 - a rod, 27-29
 - due to point charges, 11-18
 - induced due to changing magnetic flux, 256-259
- electric field lines, 18-21
- electric flux, 45
- electrical potential
 - absolute, 73-76
 - definition of, 74
 - derived for cylindrical-symmetry charge configuration, 94-96
 - derived for spherical-symmetry charge configuration, 89-94
 - derived from known electric field, 89-96
 - of a flat disk
 - differential-charge approach, 85-87
 - of a hoop
 - differential-charge approach, 84-85
 - of a point charge, 80-83

- electrical potential (con't.)
 - of a rod
 - differential-charge approach, 87-89
 - of a system of point charges, 83-84
- electrical potential difference
 - as related to electric fields, 77-80
 - as related to work, 76
 - used to derive coaxial cable capacitance, 180
 - used to derive parallel plate capacitance, 171
- electromagnetic waves in radio frequency range, 300-302
- electromotive force
 - eddy currents, 254
 - in a DC circuit, 151-153, 231
 - induced due to changing magnetic flux, 232
 - induced in coil, 239-241
 - motional, 251-254
- electrons, 33
- electrostatics
 - and conductors, 35-36
 - and insulators, 36-37
- elementary charge unit, 1, 34
- EMF (see electromotive force)
- energy
 - in a magnetic dipole moment, 218
 - lost in DC circuits, 114
 - of an electric dipole moment, 33
 - potential energy and electrical potential fields, 74
 - stored in a capacitor, 182
 - stored in an inductor, 246
- equipotential lines, 80
- ether, 316

- Faraday's Law
 - in general, 230-236
 - induced current and Ohm's Law, 236
- ferromagnetic materials, 193
- flat space, 337
- flux
 - electric, 45
 - in general, 43-44
 - magnetic, 228
- four-space, 323
- fusion in stars, 344

- fusion production of elements in stars, 345

- galvanometer, 216-219
- Gauss's Law
 - close to a conducting sheet, 67-68
 - close to an insulating sheet, 63-67
 - in deriving capacitance of coaxial cable, 180
 - in deriving capacitance of parallel plate capacitor (with dielectric), 174
 - in deriving capacitance of parallel plate capacitor, 171
 - in deriving electrical potential fct. cylindrical symmetry, 95
 - spherical symmetry, 91, 92
 - in general, 45-46
 - inside a conductor
 - cylindrical symmetry, 62-63
 - spherical symmetry, 54-56
 - with cylindrical symmetry, 56-63
 - with spherical symmetry, 46-56
- ground (electrical), 37

- Hall's Effect, 225
- high pass filter, 279-280

- impedance matching, 286-289
- impedance, 283
- inductance
 - definition of, 241-242
- inductive reactance, 274
- inductor
 - current characteristics in DC circuit, 240
 - energy stored in, 245-246
 - inductive reactance in AC circuit, 274-275
 - time constant in a DC circuit, 242-244
- inertial frame of reference, 315
- interferometer, 317

- Kirchoff's Laws
 - in an RC circuit with AC power, 277
 - in an RC circuit with DC power, 166
 - in an RL circuit with AC power, 273

- Kirchoff's Laws(con't.)
 - in an RL circuit with DC power, 242
 - in complex resistor circuit, 134-140
 - in general, 131-134
 - summary
 - loop equations, 134
 - node equations, 134
- length contraction, 329-331
- Lenz's Law
 - in general, 236-239
 - spinning coil in magnetic field, 238-239
- lightbulbs in real life, 147-153
- low pass filter, 275-276
- magnetic domains, 194
- magnetic field
 - bar magnets and electron spin, 193
 - domains, 194
 - down axis of coil (solenoid), 204
 - due to current-carrying wire, 191, 199
 - force on charge moving in, 210-212
 - force on current-carrying wire in, 212-216
 - Hall's Effect, 225
 - of earth
 - north and south seeking poles, 194
 - solar winds, 195
 - produces centripetal force, 192
 - right thumb rule, 191
 - torque on current-carrying coil in, 217-218
 - units of, 210
 - vector nature, 199-201
- magnetic field lines, 190
- magnetic flux
 - definition, 228
 - in general, 227-230
 - units, 228
- magnetic force
 - on moving point charge, 191-192
- meters
 - basis of ammeter, 219-220
 - basis of voltmeter, 220-221
- Michelson-Morley experiment, 316-319
- Minkowskian geometry, 324
- mu-meson and relativity, 327
- neutron star, 345
- Newton's Second Law
 - examples
 - current-carrying wire in B fld., 215
 - with Coulomb's Law, 4, 8
- Oersted, 191
- Ohm's Law, 116
- permeability of a vacuum, 196
- permittivity of free space, 1
- phasor diagram, 281
- potential energy
 - of a dipole moment, 32-33
- power
 - in AC circuits, 270
 - in DC circuits, 129-131
- protons, 34
- radio receiving-circuit
 - amplification of signal, 307-312
 - antenna circuit, 302
 - speaker circuit, 305-306
 - speaker construction, 305
 - summary (without amplification), 307
 - transistors, 307-312
 - tuner circuit, 303
 - without amplification, 302-307
- radio sending-circuit
 - Amplitude Modulation of signal, 304
 - electromagnetic waves, 300-302
 - FCC, 301
 - flip-off, 301
 - Frequency Modulation of signal, 305
 - in general, 300-302
 - station frequency, 300
- RC circuit, 277-281
- Reiman space, 324
- relativity (general)
 - acceleration fields--Einstein's view, 339-341
 - acceleration fields--Newton's view, 338-339
 - black hole, 345-346
 - curvature of four-space, 339-341

- relativity (general)--(con't.)
 - flat space, 337
 - gravitational effects and the presence of matter, 337
 - gravitational effects, 338
 - supernova, 343-345
 - time slowing in presence of matter, 338
 - twin's paradox and General Relativity, 342-343
 - twin's paradox and Special Relativity, 341-342
 - warped (curved) space, 337
- relativity (special)
 - four-space, 323
 - length contraction
 - in current-carrying wire, 188
 - in general, 329-331
 - magnetic effects due to, 187-189
 - simultaneity, 332-337
 - space-time diagram, 331
 - synchronized clocks and meterstick lattices, 324-325
 - time dilation, 325-328
 - world line, 332
- resonance
 - in an RLC circuit, 284
- ripple, 299
- RL circuit, 273-276
- RLC circuit
 - as tuner circuit in radio, 303
 - in general, 281-285

- semiconductors
 - doping, 294
 - n-type and p-type, 293-295
- shielding, 30-31
- shunt resistor, 220
- simultaneity, 332-337
- space-time diagram, 331
- space-time, 323
- supernova and relativity, 343-345
- synchronized clocks, 324-325

- teslas (the unit) 210
- terminal voltage, 150-153
- time as part of the fabric of space, 323
- time constant
 - in an RC circuit, 168
 - in an RL circuit, 245
- time dilation, 325
- torque
 - due to electric dipole., 32
 - on current-carrying coil in magnetic field, 218
- transformer
 - impedance matching, 286-289
 - in an AC circuit, 248
 - in general, 246-248
 - step-up and step-down, 251
 - the mathematics of, 249-251
- transistor
 - as amplifier, 309-311
 - physical make-up of, 308-309
- twin's paradox and General Relativity, 342-343
- twin's paradox and Special Relativity, 341-342

- Van der Waal force, 37
- volt--definition of, 74
- voltmeter, 116, 118, 220-221

- warped (curved) space, 337
- work
 - done by electric fields, 76
- world line, 332

- Young's experiment, 315